ARTICLE 33-06

REPORTABLE CONDITIONS

Conditions Designated as Reportable
Reporting
Health Officer Investigation
Control of Specific Diseases
School Immunization Requirements
General Provisions
Students With Significant Contagious Diseases
Employees With Significant Contagious Diseases
Treatment of Independent Contractors With Significant Contagious Diseases
Relations With the Public
Education
Food Handlers [Repealed]
Laboratory Specimens for Carriers of Disease
Isolation Requirements
Common Carriers Federal Regulation Adopted and Shipment of Birds of the Psittacine Family
Disinfection
[Reserved]
[Reserved]
[Reserved]
[Reserved]
Preparation of Bodies and Transportation
Newborn Screening Program

CHAPTER 33-06-01 CONDITIONS DESIGNATED AS REPORTABLE

Section

33-06-01-01 Reportable Conditions

33-06-01-01. Reportable conditions. All reports and information concerning reportable conditions are confidential and not open to inspection. The following designated reportable conditions must be reported to the state department of health by the persons designated in chapter 33-06-02. If any reportable condition is designated by an asterisk, an appropriate sample or isolate must be submitted to the division of microbiology (public health laboratory) in addition to the required report.

- 1. Anthrax*.
- 2. Arboviral infection.
- 3. Botulism*.

1 10/2012

- 4. Brucellosis*.
- 5. Campylobacter enteritis*.
- 6. Cancer, all malignant and in situ carcinomas; in addition, all benign cancers of the central nervous system, pituitary gland, pineal gland, and craniopharyngeal duct. Carcinoma in situ of the cervix is not collected. Basal or squamous cell carcinoma is not collected unless diagnosed in the labia, clitoris, vulva, prepuce, penis, or scrotum.
- 7. All CD4 test results.
- 8. Chickenpox (varicella).
- 9. Chlamydial infections.
- 10. Cholera*.
- 11. Clostridium perfringens intoxication*.
- 12. Coccidioidomycosis*.
- 13. Creutzfeldt-Jakob disease.
- 14. Cryptosporidiosis.
- 15. Diphtheria*.
- 16. E. coli, shiga toxin-producing*.
- 17. Enterococcus, vancomycin resistant (VRE)*.
- 18. Foodborne or waterborne outbreaks.
- 19. Giardiasis.
- 20. Glanders*.
- 21. Gonorrhea.
- 22. Hantavirus*.
- 23. Haemophilus influenzae infection (invasive infection with haemophilus influenzae isolated from blood, cerebral spinal fluid, or other normal sterile site)*.
- 24. Hemolytic uremic syndrome.
- 25. Hepatitis (specify type).

10/2012 2

- 26. Human immunodeficiency virus (HIV) infection, including acquired immunodeficiency syndrome (AIDS)*. (Any positive HIV test result.)
- 27. Human immunodeficiency virus (HIV) nucleic acid test result (detectable or nondetectable).
- 28. Human immunodeficiency virus (HIV) rapid screens (positive only).
- 29. Influenza.
- 30. Laboratory incidences involving the possible release of category A bioterrorism agents or novel influenza viruses into the laboratory environment.
- Lead blood level greater than or equal to 10 ug/dl.
- 32. Legionellosis.
- 33. Listeriosis*.
- 34. Lyme disease.
- 35. Malaria*.
- 36. Measles (rubeola)*.
- 37. Melioidosis*.
- 38. Meningitis, bacterial (all bacterial species isolated from cerebrospinal fluid)*.
- 39. Meningococcal disease (invasive infection with neisseria meningitidis isolated from blood, cerebral spinal fluid, or other normal sterile site)*.
- 40. Mumps.
- 41. Nipah viral infections*.
- 42. Nosocomial outbreaks in institutions.
- 43. Organisms with reduced susceptibility to carbapenem*. (ex. klebsiella pneumonia carbapenemase [KPC], carbapenem-resistant enterobacteriaceae [CRE], etc.).
- 44. Pertussis*.
- 45. Plague*.
- 46. Poliomyelitis*.

3 10/2012

47. Pregnancy in a person infected with hepatitis B or HIV. 48 Psittacosis. 49. Q fever*. Rabies (animal or human*). 50. 51. Rocky Mountain spotted fever. 52. Rubella*. 53. Salmonellosis*. 54. Scabies outbreaks in institutions. 55. Severe acute respiratory syndrome (SARS)*.

68. Tuberculosis (tuberculosis disease caused by mycobacterium tuberculosis or mycobacterium bovis)*.

Staphylococcus aureus, methicillin resistant (MRSA), invasive sites

Staphylococcus aureus, vancomycin resistant and intermediate

Streptococcal infections (invasive infection of streptococcus group A or B or streptococcus pneumoniae isolated from blood, cerebral spinal

10/2012 4

Tickborne diseases*.

Toxic shock syndrome*.

Tickborne hemorrhagic fevers.

56.

57.

58.

59.

60.

61.

62.

63.

64.

65.

66.

67.

Syphilis.

Tetanus.

Trichinosis.

Shigellosis*.

Smallpox*.

only - excluding urine*.

resistant (VRSA and VISA)*.

fluid, or other normal sterile site)*.

Staphylococcus enterotoxin B intoxication*.

- 69. Tularemia*.
- 70. Tumors of the central nervous system.
- 71. Typhoid fever*.
- 72. Unexplained critical illness or death in an otherwise healthy person.
- 73. Unusual cluster of severe or unexplained illnesses or deaths.
- 74. Viral hemorrhagic fevers.
- 75. Weapons of mass destruction suspected event.
- 76. Yellow fever*.
- 77. Vibriosis*.

History: Amended effective May 1, 1984; December 1, 1986; January 1, 1988; January 1, 1989; October 1, 1990; January 1, 1991; February 1, 1992; May 1, 1994; January 1, 1995; July 1, 1996; February 1, 2000; August 1, 2002; March 1, 2003; July 1, 2004; April 1, 2007; January 1, 2011.

General Authority: NDCC 23-07-01 **Law Implemented:** NDCC 23-07-01

5 10/2012